



ESPEN FACT SHEETS

CLINICAL NUTRITION

IN PRIMARY CARE

More collaboration with Primary care healthcare professionals (PCHPs) to fight disease-related malnutrition




At the Primary Care Physician Office



2-10*%

PREVALENCE of MALNUTRITION in PRIMARY CARE

* even higher in older adults



Full nutritional assessment for planning treatment

Etiology
Comorbidities
Functional and biochemical assessment



Abbreviations: MUST: Malnutrition Universal Screening Tool; GLIM: Global Leadership Initiative on Malnutrition; ONS: Oral Nutritional Supplements; EN: Enteral Nutrition; PN: Parenteral Nutrition

Krzniarić Ž, Vranešić Bender D, Blaž Kovač M, Cuerda C, van Ginkel-Res A, Hiesmayr M, et al. Clinical nutrition in primary care: ESPEN position paper. Clin Nutr. 2024 Jun;43(6):1678-1683. doi: 10.1016/j.clinu.2024.02.017

Ballesteros-Pomar MD, Blay Cortés G, Botella Romero F, Fernández García JM, Pita Gutiérrez F, Ramírez Arroyo V, et al. Continuity of care in disease-related malnutrition and nutritional medical treatment. Endocrinol Diabetes Nutr (Engl Ed). 2022 Dec;69(10):897-909. doi: 10.1016/j.endien.2022.11.013

Taveira, A., Sousa, B., Costa, P. et al. Health management of malnourished elderly in primary health care: a scoping review. BMC Prim. Care 23, 272 (2022). doi.org/10.1186/s12875-022-01883-9

